

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2886	(wireless or "wireless networking device") and (protocol or "network protocol") and (reservation or "dynamic reservation") and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:06
L2	29	(wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:06
L3	0	(wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:06
L4	0	(wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "reservation parameter" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:06
L5	0	(wireless or "wireless networking device") and (protocol or "network protocol") and "dynamically updateable reservation" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L6	0	(wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization module" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L7	4	(wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization" and "efficiency" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L8	3	(wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L9	0	(wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and (determining near utilization) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07

L10	0	(wireless or "wireless networking device") and (protocol or "network protocol") and "reservation parameter" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:08
L11	0	(wireless or "wireless networking device") and (protocol or "network protocol") and (changing near "reservation parameter") and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:08
L12	12	(wireless or "wireless networking device") and (protocol or "network protocol") and (changing near reservation) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:08
L13	0	(wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and "utilization module" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:08
L14	0	(wireless or "wireless networking device") and (protocol or "network protocol") and "transmitter" and (queue or "data queue") and ("reservation module" or "reservation determination module") and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:08

L15	49948	((370/329) or (370/252) or (370/277) or (370/278) or (370/310.1) or (370/310.2) or (370/312) or (370/320) or (370/322) or (370/328) or (370/335) or (370/342) or (370/410) or (370/412-417) or (370/431) or (370/441) or (370/429) or (370/395.1) or (370/352) or (370/338) or (370/337) or (370/347) or (370/443) or (370/348) or (370/400) or (370/401) or (370/437) or (370/465) or (370/485-487) or (340/286.01) or (340/307) or (379/32.01) or (379/32.04) or (379/88.08) or (379/88.22) or (379/93.31) or (379/100.17) or (379/399) or (379/387) or (455/450) or (455/464) or (455/509) or (455/422.1) or (455/403) or (455/408) or (455/466) or (455/438) or (455/39) or (455/91) or (455/452.1) or (455/452.2) or (709/232) or (709/229) or (709/223) or (709/203) or (709/227) or (709/230) or (709/250) or (709/238)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:05
L16	1047	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and (reservation or "dynamic reservation") and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 13:58
L17	0	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 13:59
L18	0	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "reservation parameter" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 13:59
L19	22	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 13:59

L20	0	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamically updateable reservation" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 13:59
L21	0	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization module" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:00
L22	4	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization" and "efficiency" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:00
L23	2	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:00
L24	0	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and (determining near utilization) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:00
L25	0	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation parameter" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:00
L26	0	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near "reservation parameter") and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:00
L27	5	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near reservation) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:01

L28	0	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and "utilization module" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:01
L29	0	L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "transmitter" and (queue or "data queue") and ("reservation module" or "reservation determination module") and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:01
L30	49969	((370/329) or (370/252) or (370/277) or (370/278) or (370/310.1) or (370/310.2) or (370/312) or (370/320) or (370/322) or (370/328) or (370/335) or (370/342) or (370/410) or (370/412-417) or (370/431) or (370/441) or (370/429) or (370/395.1) or (370/352) or (370/338) or (370/337) or (370/347) or (370/443) or (370/348) or (370/400) or (370/401) or (370/437) or (370/465) or (370/485-487) or (340/286.01) or (340/307) or (379/32.01) or (379/32.04) or (379/88.08) or (379/88.22) or (379/93.31) or (379/100.17) or (379/399) or (379/387) or (455/450) or (455/464) or (455/509) or (455/422.1) or (455/403) or (455/408) or (455/466) or (455/438) or (455/39) or (455/91) or (455/451) or (455/452.1) or (455/452.2) or (709/232) or (709/229) or (709/223) or (709/203) or (709/227) or (709/230) or (709/250) or (709/238)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:06
L31	1047	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and (reservation or "dynamic reservation") and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:06

L32	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:06
L33	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "reservation parameter" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:06
L34	22	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L35	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamically updateable reservation" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L36	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamically updateable reservation" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L37	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization module" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L38	4	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization" and "efficiency" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L39	2	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07

L40	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and (determining near utilization) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:07
L41	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation parameter" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:08
L42	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near "reservation parameter") and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:08
L43	5	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near reservation) and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:08
L44	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and "utilization module" and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:08
L45	0	L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "transmitter" and (queue or "data queue") and ("reservation module" or "reservation determination module") and @ad<"20031202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 14:09